

Re: Docket No. 438-2011

Linda Bowling to: Janie Nelson

09/11/2012 09:41 AM

From: Linda Bowling/R8/USEPA/US

To: Janie Nelson <janie.nelson@wyo.gov>

okay. Thank you.

Linda M. Bowling
US Environmental Protection Agency, Region 8
Underground Injection Control Unit
1595 Wynkoop Street
Mailcode: 8P-W-UIC
Denver, CO 80202
Phone: 303-312-6254
Fax: 303-312-6741

Janie Nelson ---09/11/2012 09:32:38 AM---Yes. I will need your comments when we receive the Madison water quality information. The Tensleep

From: Janie Nelson <janie.nelson@wyo.gov>

To: Linda Bowling/R8/USEPA/US@EPA

Date: 09/11/2012 09:32 AM

Subject: Re: Docket No. 438-2011

Yes. I will need your comments when we receive the Madison water quality information. The Tensleep meets the exemption criteria and I have authorized them to conduct step rate testing. They will ask the Commission to amend the examiner's order for the Madison.

Thanks, Janie

On Tue, Sep 11, 2012 at 9:29 AM, Linda Bowling <Bowling.Linda@epamail.epa.gov> wrote:
Good morning Janie,

I trust that your day is starting out well. I've reviewed the submittals for Docket No. 438-2011: Encana's report on Status of Operations and the Examiners Report. Thank you so much for sharing this information. Do you need any further information from EPA on this matter? I'm assuming no. But if you do please let me know. Thank you again. Continue to have a good day.

Linda M. Bowling
US Environmental Protection Agency, Region 8
Underground Injection Control Unit
1595 Wynkoop Street
Mailcode: 8P-W-UIC
Denver, CO 80202
Phone: [303-312-6254](tel:303-312-6254)

Fax: [303-312-6741](tel:303-312-6741)

E-Mail to and from me, in connection with the transaction of public business, is subject to the Wyoming Public Records Act and may be disclosed to third parties.